

Elastico™ Family for J55

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Elastico™ Family for J55
Synonyms : Elastico™ Black (FLX984); Elastico™ White (FLX934)
Registration number REACH : Not applicable (article)
Product type REACH : Article

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Polymer: industrial use

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the Product Safety Information Sheet:

Supplier of the safety data sheet

Stratasys EMEA Regional Office
Airport Boulevard B 120
77836 Rheinmünster, Germany
☎ +49 722 97 77 20
info@stratasys.com
www.stratasys.com

1.4. Emergency telephone number

24h/24h :

+44 1235 23 96 70 - Europe - Multi lingual response
+1 215 207 00 61 - Americas - Multi lingual response
+61 2 801 445 58 - Australia - English Language response
+64 9 929 14 83 - New Zealand - English Language response
+65 315 810 74 - Asia-Pacific - Multi lingual response
+81 3 457 893 41 - Japan

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.2. Label elements

Labelling does not apply to articles

2.3. Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients

This article contains a sensitising substance and may produce an allergic reaction

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

If you feel unwell, consult a doctor/medical service.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

In case of irritation, rinse/shower with (lukewarm) water. If irritation persists, consult a doctor/medical service.

After eye contact:

Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

Elastico™ Family for J55

4.2.1 Acute symptoms

After inhalation:
No effects known.

After skin contact:
No effects known.

After eye contact:
No effects known.

After ingestion:
No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher.
Major fire: Class B foam (not alcohol-resistant).

5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.
Major fire: Water; risk of puddle expansion.

5.2. Special hazards arising from the substance or mixture

Upon combustion: formation of CO, CO2 and small quantities of phosphorus oxides, nitrous vapours.

5.3. Advice for firefighters

5.3.1 Instructions:

No specific fire-fighting instructions required.

5.3.2 Special protective equipment for fire-fighters:

Gloves. Protective clothing. Heat/fire exposure: self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders

Gloves. Protective clothing.

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

No data available

6.3. Methods and material for containment and cleaning up

Pick-up the material. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe normal hygiene standards.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: 15 °C - 25 °C. Store in a dry area. Keep container in a well-ventilated place. Store at room temperature. Meet the legal requirements.

7.2.2 Keep away from:

Heat sources.

7.2.3 Suitable packaging material:

No data available

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

Publication date: 2021-08-05

Reference number: SDS-
06184_Ver1_01_English_EGHS_Elastico Black
BIG number: 67543

Elastico™ Family for J55

Not applicable

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

If applicable and available it will be listed below.

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

If applicable and available it will be listed below.

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

a) Respiratory protection:

Not required for normal conditions of use.

b) Hand protection:

Not required for normal conditions of use.

c) Eye protection:

Not required for normal conditions of use.

d) Skin protection:

Protective clothing.

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Flexible solid material
Odour	Characteristic odour
Odour threshold	No data available (test not performed)
Colour	Variable in colour, depending on the composition
Particle size	No data available (test not performed)
Explosion limits	No data available (test not performed)
Flammability	Not classified as flammable
Log Kow	Not applicable (article)
Dynamic viscosity	No data available (test not performed)
Kinematic viscosity	No data available (test not performed)
Melting point	No data available (test not performed)
Boiling point	No data available (test not performed)
Relative vapour density	Not applicable
Vapour pressure	No data available (test not performed)
Solubility	Water ; insoluble
Relative density	No data available (test not performed)
Absolute density	No data available (test not performed)
Decomposition temperature	No data available (test not performed)
Auto-ignition temperature	No data available (test not performed)
Flash point	No data available (test not performed)
pH	No data available (test not performed)

9.2. Other information

No data available

Publication date: 2021-08-05

Reference number: SDS-
06184_Ver1_01_English_EGHS_Elastico Black
BIG number: 67543

Revision number: 0000

3 / 6

Elastico™ Family for J55

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating increases the fire hazard.

10.2. Chemical stability

No data available.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Keep away from naked flames/heat.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Upon combustion: formation of CO, CO₂ and small quantities of phosphorus oxides, nitrous vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

Elastico™ Family for J55

No (test)data available

Corrosion/irritation

Elastico™ Family for J55

No (test)data available

Respiratory or skin sensitisation

Elastico™ Family for J55

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	Guinea pig maximisation test			Guinea pig (female)	Experimental value	

Conclusion

Not classified as sensitizing for skin

Specific target organ toxicity

Elastico™ Family for J55

No (test)data available

Mutagenicity (in vitro)

Elastico™ Family for J55

No (test)data available

Mutagenicity (in vivo)

Elastico™ Family for J55

No (test)data available

Carcinogenicity

Elastico™ Family for J55

No (test)data available

Reproductive toxicity

Elastico™ Family for J55

No (test)data available

Toxicity other effects

Elastico™ Family for J55

No (test)data available

Publication date: 2021-08-05

Reference number: SDS-06184_Ver1_01_English_EGHS_Elastico Black
BIG number: 67543

Revision number: 0000

4 / 6

Elastico™ Family for J55

Chronic effects from short and long-term exposure

Elastico™ Family for J55

Skin rash/inflammation.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

Elastico™ Family for J55

No (test)data available

12.2. Persistence and degradability

Water

Biodegradability in water: no data available

12.3. Bioaccumulative potential

Elastico™ Family for J55

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (article)			

Conclusion

No bioaccumulation data available

12.4. Mobility in soil

No (test)data on mobility of the component(s) available

12.5. Results of PBT and vPvB assessment

Due to insufficient data no statement can be made whether the component(s) fulfil(s) the criteria of PBT and vPvB according to Annex XIII of Regulation (EC) No 1907/2006.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

Elastico™ Family for J55

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Can be considered as non hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

07 02 13 (wastes from the MFSU of plastics, synthetic rubber and man-made fibres: waste plastic). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Dispose of as office refuse. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

No data available

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.1. UN number

Transport	Not subject
-----------	-------------

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Hazard identification number	
Class	

Publication date: 2021-08-05

Reference number: SDS-
06184_Ver1_01_English_EGHS_Elastico Black
BIG number: 67543

Revision number: 0000

5 / 6

Elastico™ Family for J55

Classification code	
14.4. Packing group	
Packing group	
Labels	
14.5. Environmental hazards	
Environmentally hazardous substance mark	no
14.6. Special precautions for user	
Special provisions	
Limited quantities	
14.7. Maritime transport in bulk according to IMO instruments	
Annex II of MARPOL 73/78	Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
	Not applicable (article)

National legislation The Netherlands

Waterbevaarlijkheid	Not applicable (article)
---------------------	--------------------------

National legislation Germany

WGK	nwg; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017
-----	--

15.2. Chemical safety assessment

No chemical safety assessment is required.

SECTION 16: Other information

(*)	INTERNAL CLASSIFICATION BY BIG
ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
ATE	Acute Toxicity Estimate
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this Product Safety Information Sheet informs on the properties of certain substances, preparations or mixtures incorporated in the article. The Product Safety Information Sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this Product Safety Information Sheet does not release the user from the obligation to take all measures dictated by common sense, regulations, the guidelines of the manufacturer and recommendations or which are necessary and/or useful based on the real applicable circumstances. The Product Safety Information Sheet constitutes merely of guidelines and recommendations. The information in this Product Safety Information Sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. New Product Safety Information Sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the Product Safety Information Sheet, the information does not apply to other, even similar products. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This Product Safety Information Sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this Product Safety Information Sheet is subject to the licence and liability limiting conditions as stated in the agreement between BIG and the manufacturer of this product or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Publication date: 2021-08-05

Reference number: SDS-
06184_Ver1_01_English_EGHS_Elastico Black
BIG number: 67543

Revision number: 0000

6 / 6