

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product Name** Elastico™Black , FLX984

### Other means of identification

**Product Code(s)** SDS-06402 EN A

**PN (Part Number)** OBJ-09157

**UN number or ID number** UN3082

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Printing inks

**Uses advised against** This product is a cartridge containing ink. Under normal conditions of use, the substance is released from a cartridge only inside an appropriate printing system, and therefore, exposure is limited

### Details of the supplier of the safety data sheet

#### Manufacturer Address

Stratasys Corporate headquarters United States  
9600 West 76th Street Suite #108  
Eden Prairie, MN 55344  
United States  
Local: +1 952-294-3900  
Phone: +1 952-937-3000

### Emergency telephone number

**Emergency Telephone** +1 215 207 0061 - Americas - Multi lingual response

**E-mail address** info@Stratasys.com

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1A
Specific target organ toxicity (single exposure)	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

### Label elements

**Warning****Hazard statements**

Harmful if inhaled  
 Causes skin irritation  
 Causes serious eye irritation  
 May cause an allergic skin reaction  
 May cause damage to organs  
 May cause damage to organs through prolonged or repeated exposure

**Appearance** Ink cartridge**Physical state** Liquid**Odor** Characteristic**Precautionary Statements - Prevention**

Use only outdoors or in a well-ventilated area  
 Wash face, hands and any exposed skin thoroughly after handling  
 Contaminated work clothing must not be allowed out of the workplace  
 Do not breathe vapor  
 Do not eat, drink or smoke when using this product  
 Wear protective gloves/eye protection/face protection

**Precautionary Statements - Response**

IF exposed or concerned: Call a POISON CENTER or doctor  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If eye irritation persists: Get medical advice/attention  
 IF ON SKIN: Wash with plenty of water and soap  
 Take off contaminated clothing and wash it before reuse  
 If skin irritation or rash occurs: Get medical advice/attention  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing  
 Call a POISON CENTER or doctor if you feel unwell

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

**Unknown acute toxicity**

0 % of the mixture consists of ingredient(s) of unknown toxicity

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Mixture**

Chemical name	CAS No	Weight-%	Proprietary
Proprietary	Proprietary	30 - 50	*
Proprietary	Proprietary	10 - 30	*

Proprietary	Proprietary	10 - 30	*
Proprietary	Proprietary	1 - 3	*
Proprietary	Proprietary	1 - 3	*
Proprietary	Proprietary	0.3-1	*
Glycerol, propoxylated, esters with acrylic acid	52408-84-1	0.3-1	*
Acrylic acid, 2-hydroxyethyl ester	818-61-1	0.3-1	*
2,6-Bis(1,1-Dimethylethyl)-4-Methyl-Phenol	128-37-0	0.1-0.3	*
Stabilizer	-	0.1-0.3	*
camphene	79-92-5	0.1-0.3	*
1,7,7-Trimethyltricyclo[2.2.1.0 <sub>2,6</sub> ]heptane	508-32-7	0.1-0.3	*

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

#### 4. FIRST AID MEASURES

##### Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur. If symptoms persist, call a physician. If breathing has stopped, give artificial respiration. Get medical attention immediately.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.
<b>Skin contact</b>	May cause an allergic skin reaction. If symptoms persist, call a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.
<b>Ingestion</b>	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8). Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing vapors or mists. Use personal protective equipment as required. See section 8 for more information.

##### Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Itching. Rashes. Hives. Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.
-----------------	--

##### Indication of any immediate medical attention and special treatment needed

<b>Note to physicians</b>	May cause sensitization in susceptible persons. Treat symptomatically.
---------------------------	--

#### 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Use extinguishing agent suitable for type of surrounding fire. Class B fires: Use carbon dioxide (CO <sub>2</sub> ), regular dry chemical (sodium bicarbonate), regular foam (Aqueous Film Forming Foam-AFFF), or water spray to cool containers.
<b>Unsuitable extinguishing media</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Specific hazards arising from the chemical</b>	Product is or contains a sensitizer. May cause sensitization by skin contact.

**Explosion data****Sensitivity to Mechanical Impact** None.**Sensitivity to Static Discharge** None.**Special protective equipment for fire-fighters**

Cool containers with flooding quantities of water until well after fire is out. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Move containers from fire area if you can do it without risk. Use personal protection equipment. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Keep out of drains, sewers, ditches and waterways. Inhalation is a health risk.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures****Personal precautions**

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid breathing vapors or mists.

**Other Information**

Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions****Environmental precautions**

Prevent further leakage or spillage if safe to do so.

**Methods and material for containment and cleaning up****Methods for containment**

Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

**Methods for cleaning up**

Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards**

Clean contaminated objects and areas thoroughly observing environmental regulations.

**7. HANDLING AND STORAGE****Precautions for safe handling****Advice on safe handling**

Avoid breathing vapors or mists. Wash thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Do not eat, drink or smoke when using this product. Heating may cause a fire.

**Conditions for safe storage, including any incompatibilities****Storage Conditions**

Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals. Store in a cool, well ventilated area. Store in accordance with local regulations. Keep container tightly closed. Store between 15 °C and 27 °C. Shipment temperature (up to 5 weeks) is -20 °C to 50 °C. Store in a combustible storage area away from heat and open flame.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control parameters**

**Exposure Limits**

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
2,6-Bis(1,1-Dimethylethyl)-4-Methyl-Phenol 128-37-0	TWA: 2 mg/m <sup>3</sup> inhalable fraction and vapor	(vacated) TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>

**Appropriate engineering controls****Engineering controls**

Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Wear safety glasses with side shields (or goggles). If splashes are likely to occur, wear safety glasses with side-shields.

**Hand Protection**

Wear suitable gloves. Impervious gloves.

**Skin and body protection**

Wear suitable protective clothing. Long sleeved clothing.

**Respiratory protection**

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations**

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid
<b>Appearance</b>	Ink cartridge
<b>Odor</b>	Characteristic
<b>Color</b>	Black
<b>Odor threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	N/A	
<b>Melting point / freezing point</b>	No data available	None known
<b>Boiling point / boiling range</b>	No data available	None known
<b>Flash point</b>	>= 100 - < 250 °C / >= 212 - < 482 °F	
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability limit:</b>	No data available	
<b>Lower flammability limit:</b>	No data available	
<b>Vapor pressure</b>	No data available	None known
<b>Vapor density</b>	No data available	None known
<b>Relative density</b>	1.10	g/cm <sup>3</sup>
<b>Water solubility</b>	Insoluble in water	
<b>Solubility in other solvents</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	None known

<b>Decomposition temperature</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known
<b>Explosive properties</b>	No information available	
<b>Oxidizing properties</b>	No information available	

**Other information**

<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC Content (%)</b>	No information available
<b>Liquid Density</b>	No information available
<b>Bulk density</b>	No information available

## 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	Heating may cause a fire.
<b>Chemical stability</b>	Decomposes on exposure to light. Unstable if heated.
<b>Possibility of hazardous reactions</b>	Uncured ink will polymerize on exposure to light.
<b>Conditions to avoid</b>	Avoid exposure to heat and light.
<b>Incompatible materials</b>	Not applicable under normal conditions of use and storage.
<b>Hazardous decomposition products</b>	Thermal Decomposition Products. Combustion: oxides of carbon.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure****Product Information**

<b>Inhalation</b>	May cause irritation of respiratory tract. (based on components). Harmful by inhalation.
<b>Eye contact</b>	Irritating to eyes. (based on components). Causes serious eye irritation.
<b>Skin contact</b>	May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.
<b>Ingestion</b>	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. (based on components).

**Information on toxicological effects**

<b>Symptoms</b>	Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes. Coughing and/ or wheezing.
-----------------	--

**Numerical measures of toxicity****Acute toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (oral)</b>	25,495.00 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	1.01 mg/l

**Unknown acute toxicity** 0 % of the mixture consists of ingredient(s) of unknown toxicity

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary	-	-	0.5 - 1 mg/L ( Rat ) 4 h

Proprietary	= 4890 mg/kg = 4890 mg/kg ( Rat )	> 3000 mg/kg ( Rabbit )	-
Proprietary	-	-	0.5 - 1 mg/L ( Rat ) 4 h
Proprietary	= 459 mg/kg = 459 mg/kg ( Rat )	-	= 0.037 mg/L ( Rat ) 4 h
Proprietary	> 2000 mg/kg > 2000 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	-
Glycerol, propoxylated, esters with acrylic acid 52408-84-1	-	> 2000 mg/kg ( Rabbit )	-
Acrylic acid, 2-hydroxyethyl ester 818-61-1	= 548 mg/kg = 548 mg/kg ( Rat )	> 1000 mg/kg ( Rat )	-
2,6-Bis(1,1-Dimethylethyl)-4-Methyl-Phenol 128-37-0	> 2930 mg/kg > 2930 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	-
camphene 79-92-5	> 5 g/kg > 5 g/kg ( Rat )	> 2500 mg/kg ( Rabbit )	-

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	Classification based on data available for ingredients. Irritating to skin.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Irritating to eyes.
<b>Respiratory or skin sensitization</b>	May cause sensitization by skin contact. Classification based on data available for ingredients.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
2,6-Bis(1,1-Dimethylethyl)-4-Methyl-Phenol 128-37-0	-	Group 3	-	-

**IARC (International Agency for Research on Cancer)**

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Classification based on data available for ingredients.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea

Proprietary	1.98 mg/l Fresh water	0.704 mg/l Fresh water	-	0.524 mg/l Fresh water
Proprietary	-	100: 96 h <i>Oryzias latipes</i> mg/L LC50 semi-static	-	-
Proprietary	-	90: 96 h <i>Danio rerio</i> µg/L LC50 semi-static	-	-
Glycerol, propoxylated, esters with acrylic acid 52408-84-1	-	5.74: 96 h <i>Danio rerio</i> mg/L LC50 static	-	-
Acrylic acid, 2-hydroxyethyl ester 818-61-1	-	4.8: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through	-	0.78: 48 h <i>Daphnia magna</i> mg/L EC50
2,6-Bis(1,1-Dimethylethyl)-4-Methyl-Phenol 128-37-0	6: 72 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 0.42: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	-	-	-
camphene 79-92-5	1000: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	0.72: 96 h <i>Brachydanio rerio</i> mg/L LC50 flow-through 150: 96 h <i>Brachydanio rerio</i> mg/L LC50 static	-	22: 48 h <i>Daphnia magna</i> mg/L EC50

**Persistence and degradability** No information available.

**Bioaccumulation** There is no data for this product.

#### Component Information

Chemical name	Partition coefficient
Proprietary	0.51
Acrylic acid, 2-hydroxyethyl ester 818-61-1	0.21
2,6-Bis(1,1-Dimethylethyl)-4-Methyl-Phenol 128-37-0	4.17

**Other adverse effects** No information available.

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**US EPA Waste Number** U239 U008 U154

### 14. TRANSPORT INFORMATION

**Additional information** The environmentally hazardous substance mark is not required when transported in sizes of ≤5L or ≤5kg The marine pollutant mark is not required when transported in sizes of ≤5L or ≤5kg



**DOT**

**UN number or ID number** UN3082  
**Proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
**Transport hazard class(es)** 9  
**Packing group** III  
**Special Provisions** 8, 146, 173, 335, IB3, T4, TP1, TP29  
**Description** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, Marine pollutant  
**Emergency Response Guide Number** 171

**TDG**

**UN number or ID number** UN3082  
**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
**Transport hazard class(es)** 9  
**Packing group** III  
**Description** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-[[[(butylamino)carbonyl]oxy]ethyl acrylate (main constituent >84%), Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate), 9, III

**MEX**

**UN number or ID number** UN3082  
**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
**Transport hazard class(es)** 9  
**Special Provisions** 274, 331, 335  
**Packing group** III  
**Description** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-[[[(butylamino)carbonyl]oxy]ethyl acrylate (main constituent >84%), Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate), 9, III

**ICAO (air)**

**UN number or ID number** UN3082  
**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
**Transport hazard class(es)** 9  
**Packing group** III  
**Special Provisions** A97, A158, A197, A215  
**Description** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-[[[(butylamino)carbonyl]oxy]ethyl acrylate (main constituent >84%), Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate), 9, III

**IATA**

**UN number or ID number** UN3082  
**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
**Transport hazard class(es)** 9  
**Packing group** III  
**ERG Code** 9L  
**Special Provisions** A97, A158, A197  
**Description** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-[[[(butylamino)carbonyl]oxy]ethyl acrylate (main constituent >84%), Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate), 9, III

**IMDG**

**UN number or ID number** UN3082  
**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
**Transport hazard class(es)** 9  
**Packing group** III  
**EmS-No** F-A, S-F  
**Special Provisions** 274, 335, 969  
**Marine pollutant** This product contains a chemical which is listed as a severe marine pollutant according to IMDG/IMO  
**Description** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-[[[(butylamino)carbonyl]oxy]ethyl acrylate (main constituent >84%),

Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate), 9, III, Marine pollutant

**RID**

UN number or ID number UN3082  
 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 Transport hazard class(es) 9  
 Packing group III  
 Classification code M6  
 Special Provisions 274, 335, 375, 601  
 Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-[[[(butylamino)carbonyl]oxy]ethyl acrylate (main constituent >84%), Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate), 9, III

Labels 9

**ADR**

UN number or ID number 3082  
 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 Transport hazard class(es) 9  
 Packing group III  
 Classification code M6  
 Tunnel restriction code (-)  
 Special Provisions 274, 335, 601, 375  
 Description 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-[[[(butylamino)carbonyl]oxy]ethyl acrylate (main constituent >84%), Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate), 9, III

Labels 9

**ADN**

UN number or ID number UN3082  
 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 Transport hazard class(es) 9  
 Packing group III  
 Classification code M6  
 Special Provisions 274, 335, 375, 601  
 Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-[[[(butylamino)carbonyl]oxy]ethyl acrylate (main constituent >84%), Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl acrylate), 9, III

Hazard label(s) 9  
 Limited quantity (LQ) 5 L



## 15. REGULATORY INFORMATION

**International Inventories**

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	No information available
<b>ENCS</b>	No information available
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	No information available

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

<b>Acute health hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire hazard</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
ethylbenzene - 100-41-4	Carcinogen

**U.S. State Right-to-Know Regulations**

**US State Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Acrylic acid, 2-hydroxyethyl ester 818-61-1	X	X	X
Xylene, mixture of isomers 1330-20-7	X	X	X

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

---

<b>NFPA</b>	<b>Health hazards</b> 3	<b>Flammability</b> 1	<b>Instability</b> 0	<b>Special hazards</b> -
<b>HMIS</b>	<b>Health hazards</b> * 3	<b>Flammability</b> 1	<b>Physical hazards</b> 0	<b>Personal protection</b> X

Chronic Hazard Star Legend \* = *Chronic Health Hazard*

**Revision Date** 26-Sep-2021

**Revision Note** No information available.

**Disclaimer**

The information provided in this Safety Data Sheet derives from a third party source. Whilst we believe that the information is correct as at the date of its publication, we do not make any representations or warranties regarding the accuracy or completeness of the information nor the quality or specification of any materials, substances or mixtures referred to herein (collectively, "Materials"). The information is being provided solely as a guideline for the safe handling, use, consumption, processing, storage, transportation, disposal and release of the Materials. The information may not be sufficient for such purposes and the user should not place any reliance on the information provided. The information may not be applicable to Materials that are combined with any materials or in any process other than as expressly stated herein. We shall not be liable for any kind of liability including, without limitation, damages, losses or expenses, arising out of or as a result of any reliance on the information contained in this Safety Data Sheet.

© 2021 Stratasy Ltd. License granted to make unlimited paper/electronic copies for internal use only. This Safety Data Sheet or sections thereof should not be published, reproduced, modified, or distributed to third parties without prior written consent from Stratasy Ltd.

**End of Safety Data Sheet**